



Website

Facebook

Simon|i7



Elegant Simple Unique Sophisticated

simon
LIGHT UP EMOTIONS

www.landlitephilcorp.com
+63 2 7358 8855 | sales@landlitephilcorp.com



simon

Simon i7 Series

Elegant Simple
Unique Sophisticated




Simple and elegant as a piano

Its extensive face with vertical and proportionate lines gives a comfortable and desirable form. Adopting the latest technology, the switch and the socket have the same size. The visual effect is more aesthetically pleasant.



Multi-gang design

i7 series of switches and sockets have multi-gang frames (up to 5 gangs) with multiple combinations.



76 type mounting box is applied.

When multi-gang frames are used, a special SIMON mounting box is needed (60710-50) in order to emphasize the visual expression of the design.



Safe and soft push

The feeling is comfortable and easy as i7 adopts the J Shape Toggle system.



Due to the J shape toggle system, the angular movement is very precise (only 4.5 degrees) making the pushing feeling faster and safer.



Flexible wire, easy
to connect




Child safety lock

Children safety lock rejects any plugs by abnormal objects, protect safety of family members.



The saddle shape of the terminal has a wider hole to fit with high section wire, which can satisfy family needs to power. The shape of the terminal avoid the wire to be damaged.



Simple and sophisticate

The base and the frame are integrated with the same design.



Ultra extraordinary

The base and the frame are made from PC and steel materials, which has high strength and no deformation. The paint on steel base makes it isolated and anti-corrosion.



The matt and techno color effect can adapt to any interior style and gives a sophisticate feeling. Three color options: white, champagne, grey and black.

Exquisite colors



White




Champagne-46



Grey-61



Black-26



The new electronic technique enables energy saving

i7 adopts a new electronic technique, to achieve two-wire system (which can be suitable for incandescent, fluorescent, halogen and LED with only two wires), that enables saving energy and reducing the use of carbon.



Touch time delay



Presence detector



Voice and light



Type A + Type C USB Outlet

Type A + Type C USB outlet, convenience solution to charge all your electronic devices.

Wifi Router can achieve wire connect and wireless connect at the same time. It can save the space for wire. Install in multiple location to achieve fully cover of signal.



Type A + Type C
USB Outlet



Wall-mounted
Wireless AP router



13A BS Switched Socket
(13A 250V)



i7

HDMI+USB, VGA-3.5 outlet, AV-S outlet.
i7 series TV, data and multi media sockets enable to meet the entertainment and working needs for both home and commercial usage.
With i7, it is possible to enjoy entertainment and work efficiently.



Shaver Outlet
Switch



Keycard Switch



Doorbell Switch





Practical and Simple Just as You Imagine

A conventional switch capable of turning your house into a smart home.

i7 Simon Smart

- Light ON/OFF, Tunable white and Dimming, Curtain control, AC control, Scene setting
- Gateway, Wireless Remote Control Scene Switch



APP control



Voice control



Wall switch



Automation



Download the app in:



Google Play



App store

RCU/KNX Switch

integrated with wired control system

Simon i7 series – complete range for smart switches, conventional electrical accessories, now it come with **RCU,KNX ELV Switch Series**.

The ultimate open wired smart control system for Home , Hotel and Commercial developments



Simon*i7*

Elegant Simple Unique Sophisticated



White



Champagne



Grey



Black

COLOUR ▶



Dimensions of Applicable Box



The codes are not included frames.

Switches

701011

1 Gang 1 Way Switch Module
(16AX 250V)



701012

1 Gang 2 Way Switch Module
(16AX 250V)



701013

1 Gang 1 Way Switch Module
with LED(16AX 250V)



701014

1 Gang 2 Way Switch Module
with LED(16AX 250V)



701026

1 Gang Intermediate Switch
Module(16AX 250V)



702023

20A Double Pole Switch Module
with LED(20AX 250V)



702024

20A 2 Way Double Pole Switch
Module with LED(20AX 250V)



703223

32A Double Pole Switch Module
with LED(32A 250V)



703224

32A 2 Way Double Pole Switch
Module with LED(32A 250V)



701021

2 Gang 1 Way Switch Module
(16AX 250V)



701022

2 Gang 2 Way Switch Module
(16AX 250V)



701023

2 Gang 1 Way Switch Module
with LED(16AX 250V)



701024

2 Gang 2 Way Switch Module
with LED(16AX 250V)



701046

2 Gang Intermediate Switch
Module(10AX 250V)



701031

3 Gang 1 Way Switch Module
(16AX 250V)



701032

3 Gang 2 Way Switch Module
(16AX 250V)




COLOUR ►

White	-46 Champagne	-61 Grey	-26 Black
-------	------------------	-------------	--------------

Dimensions of Applicable Box

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3mm

The codes are not included frames.

7010333 Gang 1 Way Switch
Module with LED(16AX 250V)**701034**3 Gang 2 Way Switch
Module with LED(16AX 250V)**701041**4 Gang 1 Way Switch Module
(10AX 250V)**701042**4 Gang 2 Way Switch Module
(10AX 250V)**Push Button****701043**4 Gang 1 Way Switch Module
with LED(10AX 250V)**701044**4 Gang 2 Way Switch Module
with LED (10AX 250V)**706301**Doorbell switch module
(16A 250V)**701011F**1 Gang Push-button Switch
Module(16A 250V)**701021F**2 Gang Push-button Switch
Module(16A 250V)**701031F**3 Gang Push-button Switch
Module(16A 250V)**701041F**4 Gang Push-button Switch
Module(10A 250V)**70E201**

200W Fan Regulator Switch Module

**70E104**200W LED Dimmer Switch Module
(1-10V)**70E105**200W LED Dimmer Switch Module
(Triac leading edge)**70E102**200W LED Dimmer Switch Module
(Triac Trailing edge)**70E727**

USB(5V 2.4A)+TYPE-C(45W) Module

**Socket-outlets**

COLOUR ►

White	-46 Champagne	-61 Grey	-26 Black
-------	------------------	-------------	--------------

Dimensions of Applicable Box

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3mm

The codes are not included frames.

70E723

Twin USB Socket with Switch Module

**701687**Schuko Socket Module
(16A 250V)**701080**2 Pin Socket and Multi-standard
Socket Module(10A 250V)**701087**Single EU-US with Earth
Socket Module(16A 250V)**711287**Twin Euro-US Socket (combined
with frame)(16A 250V)**701382**13A BS Switched Socket Module
(13A 250V)**701089**Multi-standard Socket Module
with Switch(13A 250V)**701582**15A BS Switched Socket Module
(15A 250V)**70E725**Multi-standard Socket Module
with Twin USB Chargers(13A 250V)**701384**13A BS Switched Socket Module
with USB chargers(13A 250V)**71E7251**Twin EU-US with Earth Socket with
USB A+C Chargers
(combined with frame)**70E7253**Multi-standard Switched Socket Module
with USB A+C Chargers**Tel, TV and Data Outlets****70E7254**13A BS Switched Socket Module
with USB A+C Chargers**705111**

TV Outlet Module

**705114**TV Outlet Module with
F Connector**705119**

Twin TV Outlet Module



COLOUR ►

White	-46 Champagne	-61 Grey	-26 Black
-------	------------------	-------------	--------------

Dimensions of Applicable Box

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3mm

The codes are not included frames.

705119S

TV and TV with F
Connector Module



705214

Telephone Outlet Module
(RJ11)



705218

Data Outlet Module
(Cat.6)



705224

Twin Telephone Outlet Module
(RJ11)



705228

Twin Data Outlet Module
(Cat.6)



705229

Telephone & Data Outlet Module



705301

Telephone & TV Outlet Module



705302

TV and Data Outlet Module



705401

Speakers Outlet Module



705402

Twin Speakers Outlet Module



700493

AV-S Multimedia Socket Module



700494

USB and HDMI Outlet Module



Control And Regulation

700495

VGA-3.5 and Audio Outlet Module



70E301

Presence Detector Switch Module
(two wires)



70E302

Presence Detector Switch Module
(three wires)



70E303

Presence Detector Switch Module
(four wires)



COLOUR ►

White	-46 Champagne	-61 Grey	-26 Black
-------	------------------	-------------	--------------

Dimensions of Applicable Box

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3mm

The codes are not included frames.

Hotel Solutions

70E401

160W Voice and Light Control
Switch Module



70E501

160W Touch Time Delay
Switch Module



70E621

4-Channel Volume Control
Switch Module(3 wires)



D701022

2 Gang 2 Way Switch Module with
"Do Not Disturb" & "Make Up Room"



D701024

2 Gang 2 Way Switch Module with
"Do Not Disturb" & "Make Up Room"
(with LED)



70E611

Doorbell Switch Module with
"Do Not Disturb"Indicator




70E612

Doorbell Switch Module with
"Do Not Disturb"&"Make Up Room"
Indicator



45E611-61

"Do not disturb","Make Up room",
"Wait A minute","Someone In" Indicator



58E616

"Doorbell Switch with "Do Not Disturb",
"Make Up room" Indicator"



70E745

Wall-mounted Wireless AP Router
Module (High voltage)



70E746

Wall-mounted Wireless AP Router
Module (POE)



70E601

KeyCard Switch Module



70E602

RFID KeyCard Switch Module



705901

Emergency Switch Module



714504

Shaver Socket (146)



70E651

Shaver Outlet Module



COLOUR ▶

White

-46
Champagne-61
Grey-26
Black

Dimensions of Applicable Box

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3mm

The codes are not included frames.

Others

70E731

6000K Footlight Module

**70E732**

3000K Footlight Module

**70E733**

3000K Sensory Footlight Module

**701000**

1 Gang Blank Plate Module



Docking

70E751

Docking Socket Module

**76E755**

Type A+C Double USB outlet kit

**76E754**

Wireless charging kit for cellphone

**76E753**

Reading Lamp kit (5W3000K)

**76E752**

Wall light kit (3W3000K)



COLOUR ▶

White

-46
Champagne-61
Grey-26
Black

Dimensions of Applicable Box

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3mm

The codes are not included frames.

Smart Gateway

681808TY

Smart Zigbee Gateway (LAN)

**S00E0-S009**


Smart Zigbee Gateway (WiFi)

**70E761TY**Smart ZigBee Wall-mounted
USB A+C Gateway Module (WiFi)

Smart Switch

70E855TY1 Gang Smart Switch Module
(20A)**70E838TY**1 Gang Smart Switch Module
(200W/gang)**70E839TY**2 Gang Smart Switch Module
(200W/gang)**70E840TY**3 Gang Smart Switch Module
(200W/gang)**70E841TY**4 Gang Smart Switch Module
(200W/gang)

Smart Easy Switch (No neutral)

70E854TY4 Gang Multifunction Smart Switch
Module(2 scene+2 switch)
(200W/gang)**70E850TY**1 Gang Smart Easy Switch Module
(>3W, 200W/Gang)**70E851TY**2 Gang Smart Easy Switch Module
(>3W, 200W/Gang)**70E852TY**3 Gang Smart Easy Switch Module
(>3W, 200W/Gang)

Smart Scene Switch

681832TY2 Gang Remote Control
Scene Switch***681820TY**6 Gang Remote Control
Scene Switch***70E842TY**1 Gang Smart Scene
Switch Module***70E843TY**2 Gang Smart Scene
Switch Module*

*No load wires between switch and light

*No load wires between switch and light

*No load wires between switch and light

COLOUR ▶ White -46 Champagne -61 Grey -26 Black 

Dimensions of Applicable Box
 Plate: 86*86mm
 Box: 72*72mm
 Fixing Center: 60.3mm

The codes are not included frames.

Smart Curtain Switch

*4/5-Wire High Voltage Motor

70E844TY

3 Gang Smart Scene Switch Module*



70E845TY

4 Gang Smart Scene Switch Module*



70E846TY

1 Gang Smart Curtain Switch Module*



70E847TY

2 Gang Smart Curtain Switch Module*



Smart dual backlight switch*

*Rocker only for 46/61/26 colour

70E8001TY

1 Gang Smart Dual Backlight Switch Module



70E8002TY

2 Gang Smart Dual Backlight Switch Module



70E8003TY

3 Gang Smart Dual Backlight Switch Module



70E8004TY

4 Gang Smart Dual Backlight Switch Module



70E8005TY

1 Gang Smart Dual Backlight Scene Switch Module



70E8006TY

2 Gang Smart Dual Backlight Scene Switch Module



70E8007TY

3 Gang Smart Dual Backlight Scene Switch Module



70E8008TY

4 Gang Smart Dual Backlight Scene Switch Module



Smart Thermostat

*VRF, need customized AC gateway module

70E7024TY

Smart Central-AC Thermostat Module(FCU)



70E7028TY

Smart Ventilation System Module



70E7031TY

Smart AC Thermostat Module*
(VRF, Modbus open protocol)



S00E0-S040

Docking AC gateway (VRF)



COLOUR ▶ White -46 Champagne -61 Grey -26 Black 

Dimensions of Applicable Box
 Plate: 86*86mm
 Box: 72*72mm
 Fixing Center: 60.3mm

Smart Dimming Switch

*TRIAC

70E848TY

1 Gang Smart Dimming Switch Module(200W/Gang)*



70E849TY

2 Gang Smart Dimming Switch Module(200W/Gang)*



70E856TY

1 Gang Smart Dimming Module Switch(0-10V)*



70E857TY

2 Gang Smart Dimming Module Switch(0-10V)*



*No load wires between switch and light

Smart 0/1-10V dimming set(with any 0/1-10V light)

*No load wires between switch and light

Smart Tunable white and Dimming Set(with Simon Smart ZigBee light)

N65E0-0019

Zigbee to 0/1-10V converter with zigbee module



70E853TY

Smart Tunable White and Dimming Switch Module*



N62E0-1157

Smart LED KC1 Tunable WH Module
Max12W15°2700-6000K



N62E0-1158

Smart LED KC1 Tunable WH Module
Max12W24°2700-6000K



N62E0-1159

Smart LED KC1 Tunable WH Module
Max12W36°2700-6000K



N62E0-1160

Smart LED KC1 Tunable WH Module
Max12W60°2700-6000K



N6524-0391

SC1 constant current Tunable WH
+ Dim driver (5W100mA36VDC)



N6524-0392

SC1 constant current Tunable WH
+ Dim driver (7W160mA36VDC)



N6524-0393

SC1 constant current Tunable WH
+ Dim driver (9W200mA36VDC)



N6524-0394

SC1 constant current Tunable WH
+ Dim driver (12W300mA36VDC)



N6524-0412

Zigbee module for SC1 driver
(Tunable WH + Dim)



N6524-0437

SV1 constant voltage tunable WH+dim driver(150W)



COLOUR ▶

White

-46
Champagne-61
Grey-26
Black

Dimensions of Applicable Box



Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3mm

The codes are not included frames.

N68E0-0050Smart LED Strip SS22 24V
60L+60L 10mm 12W TW IP20 5M**N68E0-0051**Smart LED Strip SS22 24V
60L+60L 10mm 12W TW IP44 5M**N6824-0180**Smart LED Strip SS52 B 24V
2835-96*2 12W
Tunable WH IP20 5M Ra90**N6824-0181**Smart LED Strip SS52 B 24V
2835-96*2 12W
Tunable WH IP65 5M Ra90**RCU RS485 Switch**

*use with simon-bus, open protocol available for third party RCU system

N0124-0651

Smart LED Ceiling light Dim&Tunable 26W WIFI

N0124-0652

Smart LED Ceiling light Dim&Tunable 36W WIFI

**70E645**1 Gang ELV Switch Module
(DC12V, RS485)**70E646**2 Gang ELV Switch Module
(DC12V, RS485)**70E647**3 Gang ELV Switch Module
(DC12V, RS485)**70E648**4 Gang ELV Switch Module
(DC12V, RS485)**70E6401**1 Gang Dual Backlight Switch
Module(DC12V, RS485)**70E6402**2 Gang Dual Backlight Switch
Module(DC12V, RS485)**70E6403**3 Gang Dual Backlight Switch
Module(DC12V, RS485)**70E6404**4 Gang Dual Backlight Switch
Module(DC12V, RS485)**70E7015**i7 Central-AC Thermostat Module
(DC12V, RS485, FCU)**70E7035***i7 Central-AC Thermostat Module
(DC12V, RS485, Simon-Bus, VRF)**70E7016***i7 Central-AC Thermostat Module
(DC12V, RS485, Modbus open protocol
available for other RCU, VRF)

COLOUR ▶

White

-46
Champagne-61
Grey-26
Black

Dimensions of Applicable Box



Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3mm

RCU Dry-contact Switch

*Directly use with other RCU

70E605i7 RF Keycard Switch Module
(DC12V, RS485)**70E117**1 Gang ELV Switch Module with
LED indicator**70E127**2 Gang ELV Switch Module with
LED indicator**70E137**3 Gang ELV Switch Module with
LED indicator**70E147**4 Gang ELV Switch Module with
LED indicator**70E116**

1 Gang ELV Switch Module

**70E126**

2 Gang ELV Switch Module

**70E136**

3 Gang ELV Switch Module

**KNX Switch****70E146**

4 Gang ELV Switch Module

**70E615**i7 ELV Doorbell Switch Module
(DV12V, 6-wire)**70E901**1 gang smart KNX Switch Module
(21~30V DC)**70E902**2 gang smart KNX Switch Module
(21~30V DC)**70E903**3 gang smart KNX Switch Module
(21~30V DC)**70E904**4 gang smart KNX Switch Module
(21~30V DC)**70E905**8 gang smart KNX Switch Module
(21~30V DC)**70E7034**All-in-one Smart KNX AC Thermostat
Controller Module (21~30V DC)

COLOUR ▶

White

-46
Champagne-61
Grey-26
Black

Dimensions of Applicable Box


 Plate: 86*86mm
 Box: 72*72mm
 Fixing Center: 60.3mm
Frames 76**700610**

1 gang frame

**700620**2 gang frame
(86mm*162mm)**700630**3 gang frame
(86mm*238mm)**700640**4 gang frame
(86mm*314mm)**Mounting Box****700650**5 gang frame
(86mm*390mm)**60710-50**1 Gang Flush Mounting Box
(use for 76 type)**Frames 86****700820**2 Gang frame
(86mm*172mm)**700830**3 Gang Frame
(86mm*258mm)**700840**4 Gang Frame
(86mm*344mm)**700850**5 Gang Frame
(86mm*430mm)**Mounting Box****45DH86**1 Gang Flush Mounting Box
(use for standard 86 type)

— **simon** —
 LIGHT UP
 EMOTIONS